

BEST AVAILABLE COPY

15/1104/051395



**Europäisches
Patentamt**

**European
Patent Office**

**Office européen
des brevets**

REC'D 27 AUG 2004

WIPO

PCT

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03102582.8

**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk



Anmeldung Nr:
Application no.: 03102582.8
Demande no:

Anmeldetag:
Date of filing: 18.08.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Koninklijke Philips Electronics N.V.
Groenewoudseweg 1
5621 BA Eindhoven
PAYS-BAS

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Device and method for low intensity optical hair growth control

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

A61B18/18

Am Anmeldetag benannte Vertragsstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI

Device and method for low intensity optical hair growth control

The present invention relates to a device for reducing growth of hairs on human skin, which device comprises a source of electromagnetic radiation that emits in a wavelength range between 550 and 1500 nm.

5 The invention also relates to a method for reducing growth of hairs on human skin, comprising delivering at least one pulse of electromagnetic radiation to the skin, wherein a wavelength spectrum of the electromagnetic radiation is selected between 550 and 1500 nm.

10 In the state of the art it is known to use electromagnetic radiation to remove hairs from the human skin. This is called photoepilation. Almost all of the known methods and apparatus obtain photoepilation by delivering an amount of energy to the follicles of the hairs, which is sufficient to induce permanent damage to the follicles. This damage may either be heating the follicles, or at least radiation absorbing particles in or near the follicles,
15 e.g. chromophores such as melanin, to a sufficient temperature, or to provide a power density which is sufficient for such particles to explode and inflict mechanical damage to the follicles. This damage to the follicles will cause the hairs to be shed, in a short time after the treatment. Hair regrowth may be prevented for a prolonged period of time.

20 However, these known methods of photoepilation are rather painful, and may cause skin burns and other side effects, and inherently damage tissue in that follicles are to be damaged. A main reason therefor is the use of high energy densities of up to 40 J/cm^2 at the surface of the skin. Hence methods have been proposed with a lower energy load on the skin, which would therefore be less painful.

25 WO-98/24507 proposes a two-step method to remove hair, comprising a first step to induce synchronized growth of hairs, to be followed by a second step of other hair removal procedures. Firstly, hairs are synchronized in the late telogen phase/early anagen phase by irritating or slightly damaging the hair follicles so as to stimulate hairs in the skin section that are in the catagen or telogen phase to shift into the anagen phase of the hair growth cycle. The irritation or damage must not be sufficient to cause hair follicles in the

anagen phase to be shifted to an inactive state. Alternatively, a radiation treatment can be used to shock anagen phase hair follicles into telogen phase while stimulating the resting cells to transition into the anagen phase, thus synchronizing the hair cell growth. The goal of this treatment is to bring the hair follicles from an inactive into an active growth phase, while still in a shallow position in the skin, at a depth of about 1-2 mm, which differs from the 3-5 mm in the mature anagen phase. All this makes the follicles more vulnerable for subsequent treatment with normal photoepilation.

A disadvantage of the known method is that short pulses, in particular laser pulses, are supplied. Nothing more specific is said, but short pulses entail the risk of supplying a too high power density of radiation energy. Furthermore, the known method is to be followed by a second step of the factual hair removal, the preferred method being photoepilation. Hence the skin will subsequently be subjected to even more radiation, which may cause even more damage to tissue. Another disadvantage of the known method is that a person being treated has to wait a period of time after the synchronizing step, in order for the phase shift in the growth cycle to occur and to make the subsequent treatment more efficient. This waiting period is between 3 and 25 days. This means that the complete two-step treatment will at least take said 3 days, i.e. it can never be performed in one day, in one time.

An object of the present invention is to provide a device and a method for reducing growth of hairs on human skin of the kinds mentioned in the opening paragraphs, which are safe, which cause as little damage to skin tissue as possible, and by which the envisaged treatment of the skin can be performed in one time.

In order to achieve this object, a device for reducing growth of hairs on human skin in accordance with the invention is characterized in that the device comprises control means for limiting a deliverable energy density of the radiation on the skin to a maximum value between 1 and 9 J/cm².

In order to achieve this object, a method for reducing growth of hairs on human skin in accordance with the invention is characterized in that an energy density of the electromagnetic radiation delivered to the skin is selected between 1 and 9 J/cm², preferably between 5 and 9 J/cm², wherein a duration of the pulse is between 1 and 100 ms, preferably between 10 and 50 ms, such that anagen follicles of said hairs are induced into a resting phase in their growth cycle, thereby substantially preventing permanent damage to follicles of the hairs.

With the device and method according to the invention, use is made of the insight that it is advantageous to stimulate the anagen hair follicles to go into a telogen, or resting phase, or inactive phase. It was found that an appropriate combination of pulse time and low energy densities of the radiation may bring about said transition into the resting
5 phase, to thereby control hair growth on the skin. Moreover, because of the selected combination of pulse time and low energy densities, pain and other discomfort to the person being treated is minimal. In particular the chances of tissue being damaged is brought down to a minimum.

Although it is not a principal aim of the present invention to remove the hairs
10 at once by the method, it may be the result of it. This will be elucidated further below. The main consideration is that hairs of a person that no longer grow will limit discomfort to the person, especially perceptual/cosmetic, i.e. limit the displeasing appearance of hairy skin, as well as an unwanted rough skin. If treated soon enough, the person will experience only very little or no discomfort by said hairs.

15 A particular embodiment of a device according to the invention is characterized in that, during operation, the control means limits the deliverable energy density of the radiation on the skin to a maximum value between 5 and 9 J/cm². A high efficiency is obtained, while the risks of tissue damage are still kept low.

A particular embodiment of a device according to the invention is
20 characterized in that, during operation, the control means selects the maximum value in accordance with selected properties of the skin to be treated. A particular embodiment of a method according to the invention is characterized in that the energy density is selected in accordance with the skin type and hair color of the person. Said selected properties may be skin color and color of the hairs to be treated. This offers the advantage of a maximum
25 efficiency with a minimum risk of tissue damage. Said maximum value of the energy density delivered to the skin may be adjustable, for instance by a dermatologist, who may assess whether for example the color of the skin of a person being treated has changed (such as is caused by tanning). Furthermore, said maximum value may be selectable from a number of preset values, in order to allow the device to be used by or for persons with different
30 requirements. A maximum value selection knob may be provided for that purpose. For example, for a person with dark hairs but a light-colored skin, a higher energy density may be selected than in the case of a dark skin and pale hairs.

A particular embodiment of a device according to the invention is characterized in that the wavelength range is between 600 and 950 nm. A particular

embodiment of a method according to the invention is characterized in that the wavelength spectrum is between 600 and 950 nm. For these wavelengths, there is a good absorption by elements of the follicle to be stimulated, such as melanin bodies. Advantageously, the wavelength range is adapted to the skin type and hair color of the person being treated.

- 5 Different skins may need a different approach. For instance, it is preferable to use longer wavelengths, such as short wave infrared from about 800 to about 1500 nm, in persons with a dark skin, in order to prevent too much absorption by melanin in the skin, which is undesirable.

- 10 It is noted that the radiation may be of a continuous spectrum, a line spectrum, monochromatic radiation, or a combination thereof. This also holds for the general range of 550-1500 nm. It is also to be stressed that the actually emitted radiation may comprise other parts of the spectrum, but that it should emit at least in the indicated wavelength region.

- Advantageously, in a device according to the invention the source is a pulsed source that emits radiation pulses with a duration between 1 and 100 ms. A particular
15 embodiment of a device according to the invention is characterized in that the duration of the radiation pulses is between 10 and 50 ms. A correct duration is important to prevent a too high power density in and on the skin, as a too high power density could cause tissue damage because of too quick or even violent heating of (parts of) tissue. A relatively long pulse duration limits risks of tissue damage. However, a too long pulse duration would limit the
20 efficiency of the device. Good results are obtained with the preferred pulse duration, although other pulse durations are not to be excluded. Even more preferably, the pulse duration is about 10 ms.

- In an advantageous embodiment of the method according to the invention, the pulse is obtained by moving a source of the electromagnetic radiation. This means that a
25 certain area of the skin will be irradiated only during the time that is needed for a source of radiation, used in the method, to pass said area. This time is called the dwell time. This may be considered as one single pulse. Of course it is also possible to obtain a pulse by the controlled switching of a source of radiation. Likewise, more than one pulse may be generated.

- 30 In an even more advantageous embodiment of the method according to the invention, a velocity of the source and a power density of the radiation emitted by the source are selected such that the energy density of the radiation delivered to the skin is between 5 and 9 J/cm². In this embodiment, the energy density of the radiation delivered to the skin is the mathematical product of the dwell time and the power density of the radiation emitted by

the source. The selection of the velocity of the source will be made by the operator of the source, in accordance with instructions and with the selected power density of the source. It is to be understood that in this context 'source' means the part of a device that actually emits the radiation, whereas sometimes a distinction is made between the source as a part that generates the radiation and e.g. a treatment head that emits the radiation. It will always be clear what part is meant.

Preferably, the velocity of the source is measured, and the emitted power density is selected in dependence of said velocity, such that the energy density delivered to the skin is between 5 and 9 J/cm². This way it is ensured that the treated skin will not be overexposed to the radiation. The power density emitted by the source may be adapted to the actually selected velocity with which the source, or more precisely the treatment head, is being moved across the skin. Since this velocity will not always be constant, the power density emitted by the source should also not be constant, but adapted to the actual speed.

A particular embodiment of a device according to the invention is characterized in that the source is a continuous source, the control means being designed to measure a velocity with which the device is moved over the skin to be treated and to adjust the energy density of the radiation emitted by the source as a function of the measured velocity, such that the energy density of the radiation delivered on an area of the skin being treated is at most equal to the maximum value. Although it is not strictly necessary to measure said velocity, this will help in limiting the energy density emitted by the source to the maximum value. In particular, if the device is moved with a velocity v , and if an emission window of the device, that emits the radiation, has a dimension d in the direction of movement over the device, then a dwell time t_D may be defined as $t_D = d/v$. The dwell time is equal to the time during which an area of the skin is being irradiated. Assuming that the power density of the radiation emitted by the source has a constant value, both over the emission window and in time, then the energy density becomes equal to the mathematical product of said power density and said dwell time. The control means of this embodiment are designed to adapt the power density emitted by the source in order for the energy density to remain below the selected maximum value. Thereto the control means may, for example, comprise attenuation means, such as two adjustable polarizers, or they may be designed to adjust the power supplied to the source.

A particular embodiment of a device according to the invention is characterized in that the source comprises a flash lamp. A particular embodiment of a method in accordance with the invention is characterized in that a flash lamp is used as a source of

the electromagnetic radiation. A flash lamp is a simple and small broad band source, that can be controlled very easily by setting released energy and/or flash time. In particular, such a flash lamp is much smaller and more convenient than a laser. Furthermore, a laser is also subject to stringent regulations, which makes a laser less suitable to be used as a source for use by unskilled persons at home.

Further objects, features and advantages of the invention will be understood more clearly by reading the following description of preferred embodiments.

The device for reducing growth of hairs on human skin according to the invention may be embodied like a known apparatus, and further comprising appropriate control means. These control means may comprise a small computer or comparable means.

In particular, the device may comprise a source of electromagnetic radiation, such as a flash lamp or halogen lamp. Herein, the source may comprise a filter for filtering out unwanted radiation, such as ultraviolet radiation. The device may emit the generated radiation through an emission window, which may consist of an opening in the device, or may comprise a piece of transparent material. Preferably, the emission window is cooled, e.g. a cooled sapphire window.

The device may further comprise velocity measuring means for measuring the velocity with which the device, and notably the emission window, is moved across the skin. The control means are then designed such that they can process the measured velocity in order to set the emitted power density to a value that allows the energy density that is received by the skin to remain below a predetermined maximum value.

The device, and in particular the control means, may further comprise selection means for selecting the maximum value, in accordance with certain biophysical properties of the skin, such as skin color. The selection means may comprise a control knob that may be moved along an indicator scale in order to set the device to the correct combination of skin properties that are indicated on the indicator scale.

Preferably, the device comprises a sensor for measuring the biophysical skin properties, such as skin color, such that the device may be set to such values of the maximum value of energy density, spectrum and/or pulse duration that give the best efficiency without inducing unwanted side-effects.

Advantageously, the device, and in particular the control means, are automated, such that the setting of the device will take place automatically after measuring the skin to be treated. This will reduce the number of errors in operating the device.

Even more advantageously, the apparatus has one fixed setting of the maximum value of energy density, spectrum and/or pulse duration. This limits the number of errors even further, in that only one kind of treatment is possible. Preferably, the fixed setting is set as based on the client's wish. This setting may be fixed in the factory or by a dermatologist etc. This offers a fool-proof device which is still optimized for the specific client and his skin. Such fixed setting may however also be used more generally for people with about the same skin type, e.g. fair skin, etc.

In the method in accordance with the invention, anagen hair follicles are induced to go to a resting stage in their growth cycle, in order to thereby limit (re)growth of hair during a prolonged time, however without causing severe damage to the follicle.

Hair follicles go through the so-called hair growth cycle. A first phase in this cycle is called the anagen (growing) phase, in which the follicle produces a hair. At the end of the anagen phase the follicle switches to the catagen (intermediate) phase, which is automatically followed by the telogen (resting) phase. At the end of the telogen phase, after some time, the follicle will automatically enter the anagen phase again.

By switching the hair follicles to catagen phase and subsequently to telogen phase, by applying electromagnetic radiation to the skin with the device in accordance with the invention and in accordance with the method according to the invention, long lasting hair growth control is obtained. Since hair follicles in the telogen phase will shed their hairs, it is even possible that the hairs are removed with the method. However, this is not always the case, and will often take some time.

If such hair growth control is not sufficient, the method according to the invention may preferably be combined with other methods of hair removal, however preferably with methods that do not use electromagnetic radiation, since that would lessen the advantages of the present invention. Advantageously, the method is combined with e.g. plucking, waxing, shaving or chemical removing of the hairs. An advantage of this combination is that in effect hairs are removed, while at the same time regrowth is inhibited for a prolonged period of time. Note that plucking alone may also switch hair follicles to the catagen and then telogen phase, but plucking does not result in more than about 50% of the follicles being switched to catagen. Hence regrowth is suppressed less.

Another advantage of combining the method according to the invention with other types of epilation without radiation is that it may be performed by untrained people at home, without much risk of injury or tissue damage and still provide even better hair growth control.

In an example of the method according to the invention, a flash lamp treatment at 8 J/cm² optical energy at skin level, 15 ms pulse duration, and 600-950 nm spectrum showed similar hair results after one treatment as a flash lamp treatment at 15 J/cm².

However, the discomfort to the persons being treated was much less. Persons treated with the device using the former settings can only just feel that their skin is being treated (e.g. a warm sensation on their skin), whereas persons treated with the device using the latter settings indicate that this treatment is rather painful to their skin. Moreover, the skin treated at 8 J/cm² has a lower chance of burns, blisters, hypopigmentation, hyperpigmentation, etc. than the skin treated at 15 J/cm².

In some cases it may be that only a portion of the anagen hair follicles are induced to go to the catagen phase, followed by the telogen phase as a result of the treatment. In this case it is beneficial to wait a certain period, e.g. 2 weeks, and then treat the same area of skin again. This should be repeated until the final result is reached. After these initial treatments, regular treatments, e.g. at 2 week intervals, are applied to maintain the hair removal result by inducing catagen, followed by telogen, to those hair follicles that have naturally switched from the telogen to the anagen phase since the last treatment and have started growing a new hair.

Using the described method (8 J/cm², 600-950 nm, 15 ms) and treatment protocol (shave and photo-epilate the skin every 2 weeks), typical results that can be reached are: 10% hair reduction 2 weeks after 1 treatment, 60% hair reduction 2 weeks after 2 treatments, and 90% hair reduction 2 weeks after 3 treatments.

The present invention will be understood more clearly after reading the following description of a preferred embodiment, in connection with the appended drawing, in which the only Fig. 1 schematically shows a device for reducing growth of hairs on human skin according to the invention.

In the Fig. 1, the device 1 comprises a treatment head 10 and a power and control unit 20, connected by a connecting cable 30.

A treatment cavity is denoted by 11, and is to be placed on skin 12. 13 denotes radiation, and 14 is a sensor. Dashed line 15 indicates boundaries of radiation inside the treatment head.

The power and control unit comprises first and second control knobs 21, 22 respectively.

5 The treatment head comprises a source (not shown) for the light 11. The source may either be present in the treatment head or outside, e.g. in the power and control unit 20. In the latter case, the light may be transported through the connecting cable 30. The dashed lines 15 schematically indicate the borders of the lighting inside the treatment head 10. They may stand for the borders of a light bundle in the head 10, or e.g. for optical fibers that transport the light inside the head 10, towards the treatment cavity 11.

10 The light, or better: the radiation, that is used in the device, may be any radiation according to the method of the invention. The wavelength is in the range of 550 and 1500 nm, for example yellow/red light. Suitable light sources are e.g. flash lamps, with filters, or a (pulsed) halogen lamp. The source may be powered and controlled by the power and control unit 20, although both functions may be separated if desired.

15 The treatment head 10 may be designed to cover an appropriate area of the skin 12. The treatment cavity 11 need not be a true cavity, but may also be covered with a transparent material, and it may also be completely absent in that the light is emitted from a surface in direct contact with the skin.

20 One advantage of there being a treatment cavity 11 is that a sensor 14 may be used for measuring biophysical properties of the skin 12. The sensor 14 measures for example the color and darkness of the skin 12, by analyzing the light reflected off the skin 12. The sensor 14 could also be used to determine a velocity of the treatment head 10, in order to determine the amount of released energy per skin area. However, it is also possible to use a separate sensor for one or more of these functions. Note that the sensor 14 is not at all indispensable in the device according to the invention.

25 The power and control unit 20 comprises first and second control knobs 21 and 22. Any other number of control knobs, such as one, three etc., and even zero, is however also possible. The latter indicates a preset device.

30 The first control knob 21 may be a power indicator, with which e.g. the maximum value of the energy density on the skin may be set. Typical values are for instance 4, 6 and 8 J/cm², while a range between 1 and 9 J/cm² is allowable according to the invention. The first control knob may also comprise or be embodied as an on-off function.

The second control knob may e.g. be a selector of the pulse time of the radiation used. Typical values for the pulse length according to the invention are between 1 and 100 ms, for instance 5, 10, 15, 20 and 30 ms.

Other possible controls include a selection of a specific spectrum by choosing an appropriate filter, or e.g. the selection of a certain user of the device. In the latter case, one knob may be used which sets all possible controls at once for the person which is to be treated. This option may for instance be useful in families, or in a dermatologist's practice.

5 Although the device 1 has been shown as made up of a separate treatment head 10 and power/control unit 20, it is also possible to integrate the two into one unit. However, a separate treatment head has the advantage that it may be smaller and more lightweight, which improves the operation of the device. The connecting cable 30 connects the treatment head 10 to the power and control unit 20. The connecting cable 30 may
10 comprise a power cable for the treatment head, and an optional data cable for communication with e.g. the sensor 14. It is also possible that the source of radiation is built into the power and control unit 20, and that e.g. optical fibers are used to guide the radiation to the treatment head 10. In this case the optical fibers may also be comprised in the connecting cable 30.

15 The device 1 as shown may be combined with any other features that do not form part of the invention, but may be useful, such as cooling surfaces, means for removing possible debris and smells, etc.

 The present invention has been illustrated by means of preferred embodiments. However, the invention is not to be construed as limited thereby. The scope of the invention is determined by the appended claims.

CLAIMS:

1. A device for reducing growth of hairs on human skin, which device comprises a source of electromagnetic radiation that emits in a wavelength range between 550 and 1500 nm, characterized in that the device comprises control means for limiting a deliverable energy density of the radiation on the skin to a maximum value between 1 and 9 J/cm².
5
2. A device according to claim 1, characterized in that, during operation, the control means limits the deliverable energy density of the radiation on the skin to a maximum value between 5 and 9 J/cm².
- 10 3. A device according to claim 1, characterized in that, during operation, the control means selects the maximum value in accordance with selected properties of the skin to be treated.
4. A device according to claim 1, characterized in that the wavelength range is
15 between 600 and 950 nm.
5. A device according to claim 1, characterized in that the source is a pulsed source that emits radiation pulses with a duration between 1 and 100 ms.
- 20 6. A device according to claim 5, characterized in that the duration of the radiation pulses is between 10 and 50 ms.
7. A device according to claim 1, characterized in that the source is a continuous source, the control means being designed to measure a velocity with which the device is
25 moved over the skin to be treated and to adjust the energy density of the radiation emitted by the source as a function of the measured velocity, such that the energy density of the radiation delivered on an area of the skin being treated is at most equal to the maximum value.

8. A device according to claim 5, characterized in that the source comprises a flash lamp.

5 9. A method for reducing growth of hairs on human skin, comprising delivering at least one pulse of electromagnetic radiation to the skin, wherein a wavelength spectrum of the electromagnetic radiation is selected between 550 and 1500 nm, characterized in that an energy density of the electromagnetic radiation delivered to the skin is selected between 1 and 9 J/cm², preferably between 5 and 9 J/cm², wherein a duration of the pulse is between 1 and 100 ms, preferably between 10 and 50 ms, such that anagen follicles of said hairs are
10 induced into a resting phase in their growth cycle, thereby substantially preventing permanent damage to follicles of the hairs.

10. A method according to claim 9, characterized in that the energy density is selected in accordance with the skin type and hair color of the person.

15

11. A method according to claim 9, characterized in that the wavelength spectrum is between 600 and 950 nm.

12. A method according to claim 9, characterized in that the pulse is obtained by
20 moving a source of the electromagnetic radiation.

13. A method according to claim 12, characterized in that a velocity of the source and a power density of the radiation emitted by the source are selected such that the energy density of the radiation delivered to the skin is between 5 and 9 J/cm². —


25

14. A method according to claim 9, characterized in that a flash lamp is used as a source of the electromagnetic radiation.


ABSTRACT:

The present invention discloses a method for controlling growth of hair on human skin with low doses of electromagnetic radiation, and a device 1 for carrying out the method. In the method, radiation 13 of a suitable spectrum is applied to the skin 12, in one or more pulses of between 1 and 100 ms, and with maximum fluencies on the skin between 1
5 and 9 J/cm². By applying such low fluencies and at controlled pulse durations, follicles of the hairs are induced to the catagen phase. This means that the growth of the hairs of those follicles will stop. Although the method is not primarily aimed at immediate hair removal, hairs may be shed subsequently. In any case, further growth may be stopped for prolonged periods of time. The main advantage of the method is that the risk of damage to the skin is
10 minimized.

Fig. 1



PCT/IB2004/051395



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.